CHENG XIN
RESOURCES

Cheng Xin Resources (M) Sdn Bhd

SECURITY FENCE CATALOG




ROLL TOP FENCE

The appliance of high quality fencing products to suits the need of every demand






Closed Up



spacing (a x b)
150 x 50 (mm)
200 x 75 (mm)

Ø 4mm / 4.5mm / 5mm




spacing (a x b)
300 x 75 (mm)

Ø 6mm

Wire Type	Wire Diameter Ø (mm)	Height (mm)	Width (mm)	Spacing (mm)
Hot Dip Galvanized/ GAL-ZnAl/ Powder Coating/ Heavy Gal	4.00 / 4.50 / 5.00	900	2400	150 x 50/ 200 x 75
		1200		
		1500		
		1800		
		2100		
		2400		

** Custom sizes are available upon request.*
** 5.00mm wire diameter for spacing (150 x 150) & (200 x 75).*
** 6.00mm wire diameter for spacing (300 x 75).*



Front View Side View

APPLICATION

Education Hub Gate Security Industrial Playground Sport Center Stadium


V-FENCE

The appliance of high quality fencing products to suits the need of every demand





Closed Up



Wire Type	Wire Diameter Ø (mm)	Height (mm)	Width (mm)	Spacing (mm)
Hot Dip Galvanized/ GAL-ZnAl/ Powder Coating/ Heavy Gal	4.00 / 4.50 / 5.00	1200	2400	150 x 50/ 200 x 75
		1500		
		1800		
		2100		
		2380		
		1220		
		1550		
		1850		
		2150		
		2480		



Front View Side View

** Custom sizes are available upon request.*
** For spacing (200x 50)*

APPLICATION

Education Hub Gate Security Industrial Playground Sport Center Stadium

PRODUCT RANGE


FLAT FENCE

The appliance of high quality fencing products to suits the need of every demand






Closed Up



Wire Type	Wire Diameter Ø (mm)	Height (mm)	Width (mm)	Spacing (mm)
Hot Dip Galvanized/ GAL-ZnAl/ Powder Coating/ Heavy Gal	4.00 / 4.50 / 5.00	900	2400	150 x 50 / 200 x 75
		1200		
		1500		
		1800		
		2100		
		2400		



** Custom sizes are available upon request.*
** Pole optional for square or round.*

APPLICATION

Industrial · Stadium · Train · Walkway

PRODUCT RANGE


SECURITY FENCE

The appliance of high quality fencing products to suits the need of every demand





Closed Up



spacing (a x b)
25 x 75 (mm)

Ø 3.5mm / 4mm

Wire Type	Wire Diameter Ø (mm)	Height (mm)	Width (mm)	Spacing (mm)
Hot Dip Galvanized/ GAL-ZnAl/ Powder Coating/ Heavy Gal	3.5 / 4.00	900	2400	25 x 75
		1200		
		1500		
		1800		
		2100		
		2400		
		2700		
		3000		



Front View Side View

** The products is able to be customized up to 6000mm.*
** A pole optional for square or round shape.*

APPLICATION



Gate Security Industrial Playground Sport Center

PRODUCT RANGE


ANTI-CLIMB

The appliance of high quality fencing products to suits the need of every demand






Closed Up



spacing (a x b)
12.5 x 75 (mm)

Ø 3.5mm / 4mm

Wire Type	Wire Diameter Ø (mm)	Height (mm)	Width (mm)	Spacing (mm)
Hot Dip Galvanized/ GAL-ZnAl/ Powder Coating/ Heavy Gal	3.50 / 4.00	900	2400	12.5 x 75
		1200		
		1500		
		1800		
		2100		
		2400		
		2700		
		3000		



Front View

Side View

** The products is able to be customized up to 6000mm.*
** A pole optional for square or round shape.*

APPLICATION



Gate Security



Industrial



Airport



Army Camp



Harbour



Highway



Power Station



Prison



Train



Walkway

CONCERTINA / RAZOR WIRE





Outside Diameter (m)	Standard Length / Coil (m)
500	7m - 9m
700	7m - 9m
1000	9m - 11m

BARBED WIRE



PVC BARBED WIRE

Roll Weight (kg)	Roll Length (kg)
6	50



GALVANISED BARBED WIRE


Roll Weight (kg)	Roll Length (kg)
6	50
10	90

GABION



Gabion Type	Wire Diameter Ø (mm)	Height (mm)	Width (mm)	Lenght (mm)
Galvanised Wire	2.2mm / 2.7mm 3.3 - overall	1.0 2.0 3.0	1.0	1.0
PVC Coated	2.2mm / 3.3mm 2.7mm / 3.8mm			

CHAIN LINK FENCE





Wire Type	Wire Diameter Ø (mm)	Height mm (ft)	Width mm (ft)	Spacing (inches)
PVC coat wire Galvanised Wire (GI)	SWG 8- SWG 10	900 (3ft)	12m (40ft)	2" x 2"
		1200 (4ft)		2 ½" x 2½"
		1500 (5ft)		3" x 3"
		1800 (6ft)		
		2100 (7ft)		
		2400 (8ft)		

** Custom sizes are available upon request.*

HARD DRAWN WIRE



Diameter	2mm - 10mm

TEMPORARY FENCE



Height	Width	Spacing	Diameter
1800mm	1800mm	75 x 75	3mm
1800mm	2100mm	150 x 75	

HOT DIPPED GALVANISED POST



PRE-GALVANISED POST



HOT DIPPED GALVANISED / GAL-ZnAl GATE WITH POST



Single Leaf Gate



Double Leaf Gate

HOT DIPPED GALVANISED / GAL-ZnAl GATE WITH POST



Sliding Gate *(motor - optional)*

ACCESSORIES

We have an extensive range of other products precisely used to ensure our customers obtain the correct edge preparation for a proper fit on their demands.

- **A** Hot Dipped Galvanised Jig
- **B** Bracket
- **C** Square Post Cap
- **D** Bolt, Washer & Nut
- **E** Wall Plugs
- **F** Round Post Cap
- **G** Stainless Steel U-Clip

